



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re Application of:
Joseph Honein

Serial No.: 09/993,443

Filed: 11/19/2001

§
§
§
§
§
§
§

Atty. File: IM 1725 CON

Group Art Unit: 3634

Examiner: A. Chin Shue

FOR: Composite Scaffolding and Method of Forming Same

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

TRANSMITTAL OF APPEAL BRIEF

1. Transmitted herewith in triplicate is the APPEAL BRIEF in this application with respect to the Notice of Appeal.

2. STATUS OF APPLICANT

This application is on behalf of
☐ other than a small entity
☒ small entity

3. ☒ Applicant hereby petitions for an extension of time of (1) month for filing the Brief from the Notice of Appeal filed 06/09/04 as provided in 37 CFR 1.136 (a).
☒ a fee in the amount of \$55.00 (small entity)
☒ is enclosed
☐ charge to Deposit Account No. 10-0740. (Duplicate notice enclosed.)
☐ fee previously paid

4. FEE FOR FILING APPEAL BRIEF

Pursuant to 37 CFR 1.17(f) the fee for filing the Appeal Brief is:

☒ small entity \$165.00
☐ other than a small entity \$330.00

Appeal Brief fee was previously paid

08/13/2004 KBETEMAI 00000057 09993443


01 FC:2251

55.00 0P

5. FEE PAYMENT

- [] Attached is a check in the sum of \$ _____
[] If any additional fee is required, charge Acct. No. 10-0740.
This sheet is presented in duplicate.

Respectfully submitted,



Kenneth H. Johnson
Reg. No. 22,966
P.O. Box 630708
Houston, Texas 77263
Tel. (713) 780-7047
FAX No. (713) 780-7671


Date: 08/10/04

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

on 08/10/04


Kenneth H. Johnson



IFW
AF/3634

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
BEFORE THE BOARD OF PATENT APPEALS AND INTERFERENCES

In Re Application of:
JOSEPH HONEIN

§
§
§
§
§
§

Atty File: IM 1725 CON

Serial No.: 09/993,443

Group Art Unit: 3634

Filed: 11/19/2001

Examiner: A. CHIN SHUE

For: COMPOSITE SCAFFOLDING AND METHOD OF FORMING SAME

BRIEF ON APPEAL

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

TABLE OF CONTENTS

Page

I. REAL PARTY IN INTEREST	2
II. RELATED APPEALS	2
III. STATUS OF CLAIMS	2
IV. STATUS OF AMENDMENTS	2
V. SUMMARY OF THE INVENTION	2
VI. ISSUES	4
VII. GROUPING OF CLAIMS.. ..	4
VIII. ARGUMENT	4
A. The Rejections.....	4
B. The Analysis.....	4
Group I.....	6
Group II.....	9
C. Issue 1.....	10
D. Issue 2.....	11
E. Conclusion	12
IX. APPENDIX	13
A. Claims on Appeal	13
B. Exhibit	17
Certificate of mailing	

I.
REAL PARTY IN INTEREST

The real party in interest is the inventor, Joseph HONEIN.

II.
RELATED APPEALS

There are no related appeals or interferences of applicant, Joseph HONEIN, known to appellant or appellant's legal representative which will directly or indirectly affect or be affected by or have a bearing on the Board's decision in this appeal.

III.
STATUS OF CLAIMS

Claims 11-16 remained in the application. All of the claims are rejected. Claims 11-16 are on appeal.

IV.
STATUS OF AMENDMENTS

All amendments have been entered of record.

V.
SUMMARY OF THE INVENTION

The present claims are those of the parent application amended as suggested by the examiner in the Examiner's Answer, in the parent application, indicating the original claims 4 and 9 would be patentable if presented in independent form. (Page 3 of the Examiner's Answer in the parent application is attached as Exhibit 1).

The present invention is a method for forming a scaffolding plank (spec., page 4, ln. 11) from two or more wooden boards by positioning the boards in side by side parallel abutment and embedding a plurality of spaced pins transversely through the boards (spec., page 5, ln. 16-19) and to increase the strength of a wooden plank by cutting the plank

longitudinally, positioning the resulting sections in side by side parallel abutment with the wood grains in alternating directions and embedding a plurality of spaced pins in the sections (spec., page 5, ln. 19-22).

The boards are compressed laterally by an external force in the boring and pinning steps such that after the manufacture when the boards are no longer compressed, a tension is created that holds the boards in tight abutment (spec., page 8, ln. 17-22). The bore preferably extends through the boards (spec., page 9, lines 1-2) and the pins are preferably forced through the bore from the opposite side to the drill, while the axis of the drill bit and the pin press are aligned (spec., page 12, ln. 14-20).

The scaffolding plank is preferably formed by holding the wooden boards in tight side to side abutment by spaced pins that have a cam means thereon (spec., page 7, ln. 1-2). The pins are preferably square cross sections which are twisted to form a helical thread (spec., page 8, ln. 12). The threads comprise the cam and as the pin is pressed into the wooden boards, the helical threads cause the pin to rotate and pull the boards together (spec., page 8, ln. 17).

The boards may be compressed vertically which maintains the relative position of the boards while the pins are embedded (spec., page 11, ln. 10-13). After the pin is embedded into the boards, the vertical and horizontal compression means are disengaged (spec., page 13, ln. 1-2).

The planks made by this method exhibit equal or better properties compared to a similar single plank and a laminated plank (FIGURE 8).

VI. ISSUES

1. ARE CLAIMS 11-13 OBVIOUS UNDER 35 USC 103(a) OVER ANGUERA '191 IN VIEW OF EITHER LARSON OR ANGUERA '395, AND LEWIS?
2. ARE CLAIMS 14-16 OBVIOUS UNDER 35 USC 103(a) OVER ANGUERA '191 IN VIEW OF EITHER LARSON OR ANGUERA '395, AND LEWIS IN FURTHER VIEW OF JAPANESE PATENT 002?

VII. GROUPING OF CLAIMS

For the purposes of appeal the claims are grouped as:

Group I, claims 11-13

Group II, claims 14-16

VIII. ARGUMENT

A. THE REJECTION

Claims 11-13 stand rejected under 35 USC § 103(a) as being unpatentable over Anguera '191 in view of either Larson or Anguera '395, and Lewis and claims 14-16 stand rejected under 35 USC § 103(a) as being unpatentable over Anguera '191 in view of either Larson or Anguera '395, and Lewis as applied to claims 11-13 in further view of Japanese patent 002.

B. THE ANALYSIS

Group I, claims 11-13

All of these claims require the steps of:

1. positioning the wooden boards side by side,

2. compressing the boards vertically,
3. concurrently compressing the boards transversely,
4. revolvingly embedding at least three spaced apart helical pins transversely through the boards
5. removing the compression.

Group II Claims 14-16

All of these claims require the steps of:

1. positioning the wooden boards side by side with the wood grain *having alternating direction*,
2. compressing the boards vertically,
3. concurrently compressing the boards transversely,
4. revolvingly embedding at least three spaced apart helical pins transversely through the boards
5. removing the compression.

The application of 35 USC §103 to the issue of patentability has been considered by the Supreme Court of the United States in *Graham v. John Deere* 148 USPQ 459 (S. Ct. 1966). The Supreme Court held that 35 USC §103 requires a three-pronged inquiry.

It is necessary to:

- (i) determine the knowledge disclosed in the prior art;
- (ii) determine the differences between the teaching of the prior art and the claims at issue; and
- (iii) resolve the differences between the teaching of the prior art and the claims in question on the level of the ordinary skill in the art field.

COMPARISON OF ANGUERA '191 AND INVENTION

I. Anguera '191 combines green wood strips of varying length disposed in an upright position in a row with other green strips, thus describing the wood grain of each strip being aligned in the same direction for each strip (plank).

Whereas:

Claims 11, 12 and 13 claim, "positioning a plurality of wooden boards in side to side abutment, each of said wooden boards including two sides and a lengthwise direction, each of said sides being flat and having a height and said height being the smallest dimension of said wooden boards"; and

Claims 14, 15 and 16 claim, "cutting said plank longitudinally into a plurality of wooden plank sections; positioning said plurality of wooden plank sections in side to side parallel abutment with the wood grains of said plurality of wooden plank sections having alternating directions".

GROUP I, CLAIMS 11-13 ANALYSIS

II. Anguera '191 clamps the boards.

Whereas applicant (all claims) concurrently compresses said plurality of wooden boards vertically and transversely before revolvingly embedding at least three spaced apart helical pins. Fig. 13 is a cross section of the work clamp and Fig. 14 shows the work clamp 168, this does not disclose any degree of compression.

III. Anguera '191 drills a bore, moves the work piece and inserts a pin into a previously drilled hole.

Whereas applicant (all claims) claims "positioning a drill at a lateral outside edge of said plurality of wooden boards and a pin press at an opposite outside edge of said

plurality of wooden boards:

said drill having a drilling axis;

said pin press having a pin press axis;

said drilling axis and said pin press axis substantially aligned;

drilling holes transversely through said plurality of wooden boards” and

“revolvingly embedding said at least three spaced apart pins transversely through said plurality of wooden boards by forcing said helical pins through said holes, normal to said sides of said plurality of wooden boards, and normal to said lengthwise direction of said plurality of wooden boards” and further

“said helical pins having an outer thread diameter and further having a root thread diameter, said drilled hole having a hole diameter; and said hole diameter greater than said thread root diameter and less than said outer thread diameter”

IV. Both Anguera '191 and the applicant use pins with a square cross section and spiral threads.

Thus out of the first 4 compared elements, only one is the same, the other steps are drastically different. Note that the compression recited in the present claims is more than the result of mere clamping. In the present specification on page 12, lines 1-3, it is stated “cylinder 128 engages and compresses the boards 20. Therefore, in addition to providing the desired compression.....maintains the relative position of the boards 20 during drilling...” and at page 13 lines 2-4, “ With the boards 20 no longer compressed, the pins so imbedded within the boards 20 experience a tensioning due to the boards 20 returning to their noncompressed state.”

V. Thus, the limitation in the claims, “whereby said drilling step and said forcing step are

sequentially performed while said plurality of wooden boards are laterally and vertically compressed and the helical threads of said plurality of helical pins become anchored within each of said wooden boards thereby fixing and maintaining said wooden boards in relative position“, describes a method of producing a product which is not contemplated by the prior art nor producible by following Anguera '191 as recognized by the examiner.

The examiner urges that Larsen and Lewis or Anguera '395 and Lewis in combination with Anguera '191 cure the defects of Anguera '191 and thereby make the present invention as claimed obvious.

LEWIS

Lewis could be urged to suggest the currently boring and pin insertion, which would not cure the deficiencies discussed in I, II, or V above.

LARSEN AND LEWIS

Larsen discloses a scaffolding with two adjacent planks having a pin extending there through the plank. According to the translation, “the surface elements comprise multiple planks arranged side by side and penetrated and held together by a transverse connecting iron at each end of the element” (page 2, third paragraph). No information is provided on the process of attaching the elements together. However, since the walkway is to be “assembled easily and quickly”, the pins are loosely fitted into the boreholes, so they can be removed and the system assembled elsewhere. This disclosure has no suggestion to any aspect of the present invention and is of only interest as “state of the art”. It does not cure in any manner the defects of the elements I, II, III, or V discussed above and adds nothing to Lewis.

ANGUERA '395 AND LEWIS

Anguera '395 discloses a very specific metal key that is to be driven into boreholes to thereby join adjacent boards together. This disclosure has little to add to the Anguera '191 disclosure other than one might substitute the specific key for the pins disclosed by Anguera '191, which of course does not cure any of the deficiencies noted above and adds nothing to Lewis. The point is that there must be some motivation to make the substitution proposed by the examiner. Anguera '395 basically carries out the same process as Anguera '191, but in a less efficient manner.

GROUP II, CLAIMS 14-16 ANALYSIS

The analysis above to Group I applies here also, with the added distinction that the examiner added the Japanese patent 002 reference (JPN 002) to suggest the alternating grain positioning, which was added after the filing of an appeal and Brief herein.

JPN 002 discloses making a door with high resistance to warping by contact bonding a plurality of tie plates arranged with the wood grain in opposite directions together. After the door is formed splines (Fig. 1) or pins (Fig. 2) can be added.

JPN 002 does not pin the plates together, but glues them together. There is no suggestion that gluing is the equivalent of the pinning and even though Fig 2 would seem to show pins or rods through the glued plates, these are shown as equivalent to the splines, which have no relevance in regard to the present invention or claims. In the present invention lacing the wooden planks side by side parallel abutment with the wood grains in alternating directions increases the strength (spec., page 5, ln. 19-22) and has nothing to do with warping. Thus there would be no motivation to employ any information or only selected portions thereof from JPN 002 with any of the other applied references.

C. The Issues

ISSUE 1

ARE CLAIMS 11-13 OBVIOUS UNDER 35 USC 103(a) OVER ANGUERA '191 IN VIEW OF EITHER LARSON OR ANGUERA '395, AND LEWIS?

There is no *per se* rule of obviousness that eliminates the need for fact-specific analysis of claims and the prior art and that the use of such a rule must stop. See *In re Ochiai*, 37 USPQ2d 1127, 1132 (Fed. Cir. 1996). The examiner is not applying the prior art to the claims because there is no disclosure of the specific limitations, but rather using silence as evidence as shown in the Analysis (Gp. I and II). The examiner's bare statement that steps are "obvious mechanical expedients" is completely unsupported by any evidence and therefore has no weight. Silence in a reference is not a proper substitute for an adequate disclosure of facts. *In re Burt*, 148 USPQ 548 (CCPA 1966). The examiner has failed to make out a *prima facie* case of obviousness because he has used a legal conclusion as evidence. Inventions are obvious over references and the examiner has not cited any reference to support his legal conclusion of "obvious mechanical expedients." (See *In re Bezombes*, 164 USPQ 387, 391 (CCPA 1970).

Rejections based on §103 must rest on a factual basis with these facts being interpreted without hindsight reconstruction of the invention from the prior art. The examiner has the initial duty of supplying the factual basis for the rejection. The examiner may not, because of doubt that the invention is patentable, resort to speculation, unfounded assumption or hindsight reconstruction to supply deficiencies in the factual basis. See *In re Warner*, 379 F.2d 1011, 154 USPQ 173 (CCPA 1967). Even if the

teachings of four references can be combined, there is no factual basis from which to conclude that the process resulting from the combined teachings would include the combination of elements of appellant's invention.

A determination of obviousness must involve more than indiscriminately combining prior art; a motivation or suggestion to combine the art must exist. *ACS Hosp. Sys., Inc. v. Montefiore Hosp.* 221 USPQ 929,933 (Fed. Cir. 1984). Such a suggestion may come from the references themselves, from references and disclosures in references known to be of importance in the particular field, and from the nature of the problem, leading inventors to look to references to possible solutions for the problem. *Pro-Mold and Tool Co. v. Great Lakes Plastics, Inc.*, 37 USPQ2d 1626, 1630 (Fed. Cir. 1996). In the present situation the record contains no evidence of a motivation (the mere assertion by the examiner that it would be obvious to make the combination not being one of the enumerated methods to present such evidence).

The present invention can be achieved only by fallacious inductive reasoning to combine the cited references.

ISSUE 2

ARE CLAIMS 14-16 OBVIOUS UNDER 35 USC 103(a) OVER ANGUERA '191 IN VIEW OF EITHER LARSON OR ANGUERA '395, AND LEWIS IN FURTHER VIEW OF JAPANESE PATENT 002?


All that has been stated above by applicant/appellant regarding the application to the rejection of claims 11-13 is incorporated herein, with the further suggestion that the rejection is clearly a hindsight search to create a list of method steps to make the proposed

combinations without any motivation to do so.

E. Conclusion

There is no motivation or suggestion to make the combinations of art proposed for either of two claim groupings under either of the two rejections. It requested that the final rejection be reversed.

Respectfully Submitted,

A handwritten signature in black ink, appearing to read 'Kenneth H. Johnson', is written over the typed name and title.

Kenneth H. Johnson

ATTORNEY FOR APPLICANT

Reg. No. 22,966

P.O. Box 630708

Houston, Texas 77263

TEL: (713) 780-7047

FAX: (713) 780 7671

IX.
APPENDIX

A. CLAIMS ON APPEAL

11. A method for forming a scaffolding plank from two or more wooden boards, comprising:

positioning a plurality of wooden boards in side to side abutment, each of said wooden boards including two sides and a lengthwise direction, each of said sides being flat and having a height and said height being the smallest dimension of said wooden boards;

compressing said plurality of wooden boards vertically so that the top surfaces of said plurality of wooden boards are co-planar and concurrently compressing said plurality of wooden boards transversely before revolvingly embedding at least three spaced apart helical pins;

positioning a drill at a lateral outside edge of said plurality of wooden boards and a pin press at an opposite outside edge of said plurality of wooden boards:

said drill having a drilling axis;

said pin press having a pin press axis;

said drilling axis and said pin press axis substantially aligned;

drilling holes transversely through said plurality of wooden boards

revolvingly embedding said at least three spaced apart pins transversely through said plurality of wooden boards by forcing said helical pins through said holes, normal to said sides of said plurality of wooden boards, and normal to said lengthwise direction of said plurality of wooden boards, each of said at least three spaced helical pins having helical threads said helical pins having an outer thread diameter and further having a root

thread diameter, said drilled hole having a hole diameter; and said hole diameter greater than said thread root diameter and less than said outer thread diameter; and

subsequently removing the compression on said plurality of wooden boards;

whereby said drilling step and said forcing step are sequentially performed while said plurality of wooden boards are laterally and vertically compressed and the helical threads of said plurality of helical pins become anchored within each of said wooden boards thereby fixing and maintaining said wooden boards in relative position.

12. A method as in claim 11 further comprising aligning said plurality of wooden boards such that their ends form a substantially continuous surface before revolvingly embedding said at least three spaced helical pins.

13. A method as in claim 11 further comprising:
each of said at least three spaced helical pins is a twist lock pin having a square cross section.

14. A method of increasing the strength of a wooden scaffolding plank comprising the steps of:

cutting said plank longitudinally into a plurality of wooden plank sections;
positioning said plurality of wooden plank sections in side to side parallel abutment with the wood grains of said plurality of wooden plank sections having alternating directions, each of said wooden plank sections including two sides and a lengthwise direction, each of said sides being flat and having a height and said height being the smallest dimension of said wooden plank sections;

compressing said plurality of wooden boards vertically so that the top surfaces of said plurality of wooden boards are co-planar and concurrently compressing said plurality

of wooden boards transversely before revolvingly embedding at least three spaced helical pins;

positioning a drill at a lateral outside edge of said plurality of wooden boards;

said drill having a drilling axis;

a pin press having a pin press axis;

said drilling axis and said pin press axis substantially aligned;

drilling holes transversely through said plurality of wooden boards, said helical pins having an outer thread diameter and further having a root thread diameter,

said drilled holes having a hole diameter; and

said hole diameter being greater than said thread root diameter and less than said outer thread diameter;

revolvingly embedding said at least three spaced helical pins transversely through said plurality of wooden plank sections by forcing said helical pins through said holes, normal to said sides of said plurality of wooden plank sections, and normal to said lengthwise direction of said plurality of wooden plank sections, each of said at least three spaced helical pins having helical threads; and

subsequently removing the compression on said plurality of wooden boards;

whereby said drilling step and said forcing step are sequentially performed while said plurality of wooden boards are laterally and vertically compressed and the helical threads of said at least three spaced helical pins become anchored within each of said plurality of wooden plank sections thereby fixing and maintaining said wooden plank sections in relative position.

15. A method as in claim 14 further comprising aligning said plurality of wooden

plank sections such that their ends form a substantially continuous surface before revolvingly embedding said at least three spaced helical pins.

16. A method as in claim 14 wherein each of said at least three spaced helical pins is a twist lock pin having a square cross section.

B. EXHIBIT

Art Unit: 3634

Claim 9 is rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. The phrase "said pin presss" lacks antecedent basis.

Claims 1, 3, 5-8, and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Larson in view of Webster and Bennett. Larson shows the claimed plank with the exception of the claimed pinning of the boards. Webster shows the claimed pinning. Bennett shows a compressor to enable orthogonal clamping. It would have been obvious to one of ordinary skill in the art at the time the invention was made to provide Larson with a pinning means as claimed to enhance the integrity of his plank and to provide a compressor for clamping and aligning his boards as claimed. The claimed method would have been obvious to one of ordinary skill in the art at the time the invention was made in view of the modified plank of Larson. Furthermore, to use the conventional square cross section pins, for their known advantage, would have been an obvious mechanical expedient, and to alternate the grains of the boards as claimed, would have been an obvious mechanical expedient, as such is a conventional practice to enhance the integrity of the plank.


Claim 4 is objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent from including all of the limitations of the base claim and any intervening claims.

CERTIFICATE OF MAILING

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an envelope addressed to:

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

on 08/10/04


KENNETH H. JOHNSON